Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method of rendering a virtual three-dimensional (3D) scene, comprising:

tracking a positional change of a head of a user relative to a non-head mounted remote display;

transforming the virtual 3D scene in accordance with the positional change of the head; and

rendering on the display a transformed virtual 3D scenewherein the virtual 3D scene is rendered in a perspective projection defined by a frustum bounded by a near plane and by a far plane located opposite the near plane.

- (Original) The method of claim 1, wherein transforming 2. the virtual 3D scene comprises shifting the virtual 3D scene in a left direction of the user when the head moves in a right direction of the user.
- (Original) The method of claim 2, wherein transforming the virtual 3D scene comprises shifting the virtual 3D scene in a right direction of the user when the head moves in a left direction of the user.

- 4. (Previously Presented) The method of claim 3, wherein a camera is attached to the display.
- (Original) The method of claim 1, wherein transforming 5. the virtual 3D scene comprises increasing a magnification of the virtual 3D scene when the head moves toward the display.
- 6. (Original) The method of claim 5, wherein transforming the virtual 3D scene comprises reducing the magnification of the virtual 3D scene when the head moves away from the display.
- (Original) The method of claim 5, wherein the camera 7. is positioned above the display.
- (Original) The method of claim 3, wherein the virtual 3D scene is shifted with respect to the head by a factor of 10.
- (Original) The method of claim 1, wherein tracking the 9. positional change of the head further comprises tracking an iridescent color in an object attached to the head.
- 10. (Previously Presented) The method of claim 1, wherein transforming the virtual 3D scene comprises decreasing a

magnification of the 3D scene when the head moves toward the display and increasing the magnification of the 3D scene when the head moves away from the display.

- 11. (Currently Amended) An apparatus for rendering a virtual three-dimensional (3D) scene, comprising:
 - a memory that stores executable instructions; and
 - a processor that executes the instructions to:

track a positional change of a head of a user relative to a non-head mounted remote display;

transform the virtual 3D scene in accordance with the positional change of the head; and

render on the display a transformed virtual 3D scene, wherein the virtual 3D scene is rendered in a perspective projection defined by a frustum bounded by a near plane and by a far plane located opposite the near plane.

(Original) The apparatus of claim 11, wherein to 12. transform the virtual 3D scene comprises to shift the virtual 3D scene in a left direction of the user when the head moves in a right direction of the user.

- (Original) The apparatus of claim 12, wherein to transform the virtual 3D scene comprises to shift the virtual 3D scene in a right direction of the user when the head moves in a left direction of the user.
- 14. (Previously Presented) The apparatus of claim 13, wherein a camera is attached to the display.
- 15. (Original) The apparatus of claim 11, wherein transforming the virtual 3D scene comprises increasing a magnification of the virtual 3D scene when the head moves toward the display.
- (Original) The apparatus of claim 15, wherein 16. transforming the virtual 3D scene comprises reducing the magnification of the virtual 3D scene when the head moves away from the display.
- 17. (Original) The apparatus of claim 15, wherein the camera is positioned above the display.

- (Original) The apparatus of claim 13, wherein the 18. virtual 3D scene is shifted with respect to the head by a factor of 10.
- (Original) The apparatus of claim 11, wherein to 19. track the positional change of the head further comprises to track an iridescent color in an object attached to the head.
- (Previously Presented). The apparatus of claim 11, 20. wherein to transform the virtual 3D scene comprises to decrease a magnification of the 3D scene when the head moves toward the display and to increase the magnification of the 3D scene when the head moves away from the display.
- (Currently Amended) An article comprising a machine-21. readable medium that stores executable instructions for rendering a virtual three-dimensional (3D) scene, the instructions causing a machine to:

track a positional change of a head of a user relative to a non-head mounted remote display;

transform the virtual 3D scene in accordance with the positional change of the head; and

render on the display a transformed virtual 3D scene;

wherein the virtual 3D scene is rendered in a perspective projection defined by a frustum-bounded by a near plane and by a far plane located opposite the near plane.

- 22. (Original) The article of claim 21, wherein to transform the virtual 3D scene comprises to shift the virtual 3D scene in a left direction of the user when the head moves in a right direction of the user.
- (Original) The article of claim 22, wherein to 23. transform the virtual 3D scene comprises to shift the virtual 3D scene in a right direction of the user when the head moves in a left direction of the user.
- 24. (Previously Presented) The article of claim 23, wherein a camera is attached to the display.
- (Original) The article of claim 21, wherein to 25. transform the virtual 3D scene comprises to increase a magnification of the virtual 3D scene when the head moves toward the display.

- 26. (Original) The article of claim 25, wherein to transform the virtual 3D scene comprises to reduce the magnification of the virtual 3D scene when the head moves away from the display.
- (Original) The article of claim 25, wherein the 27. camera is positioned above the display.
- (Original) The article of claim 23, wherein the 28. virtual 3D scene is shifted with respect to the head by a factor of 10.
- (Original) The article of claim 21, wherein to track 29. the positional change of the head further comprises to track an iridescent color in an object attached to the head.
- (Previously Presented) The article of claim 21, 30. wherein to transform the virtual 3D scene comprises to decrease a magnification of the 3D scene when the head moves toward the display and to increase the magnification of the 3D scene when the head moves away from the display.